

PRESS TOOLS

PRODUCT CATALOG

RIDGID®



PRESS WITH CONFIDENCE. PRESS WITH THE BEST.

RIDGID® press tools save you time and money by delivering reliable performance press after press. Every generation of press tools works harder – and smarter – than the last. Our commitment to reducing in-use tool weight while increasing performance keeps you at the top of your game. It's exactly what you should expect from the #1 press tool manufacturer. RIDGID: Built For Those Who Know.™



WATERTIGHT
PRESS CONNECTIONS
IN 7 SECONDS OR LESS.




NO OPEN FLAMES.
NO BURN PERMITS.
NO ONSITE FIRE WATCH.



LOWER TOTAL
INSTALLATION COST.



REDUCES VITAL
EQUIPMENT SHUTDOWNS.



FOR MORE PRODUCT INFORMATION
VISIT RIDGID.COM/PRESSING



RIDGID

RP 240

RIDGID

RP 241

RIDGID
APR 2014

1/2" **RIDGID**

RIDGID

ProPress

ProPress

STANDARD SERIES PRESS TOOL

½" to 4" Capacity



RP 340 PRESS TOOL

The industry-leading RP 340 press tool has a 4" pipe and tubing capacity and weighs only 6 pounds. It features a 180° rotating swivel barrel, perfect for getting at hard-to-reach connections. An available 18V Advanced Lithium 4 battery helps the RP 340 achieve as much as 400 presses per charge, and it has an industry-leading service interval of 42,000 cycles. An optional AC power adapter can further maximize uptime job site to job site.

SPECIFICATIONS

- Capacity: ½" to 4".
- 180° Barrel/Jaw Swivel.
- Battery: 18V Advanced Lithium 2.
- Battery Charger: 120V.
- Hydraulic Ram Output: 7,200 lbs. (32kN).
- Weight: Tool Only – 7.3 lbs.
Tool with Battery – 8.3 lbs.
Tool with Battery and ½ Jaws – 12.3 lbs.
- Operating Temperature Range: 15°F to 122°F.
- Approximate Cycle Time: 4-5 Seconds.
- Standard Kit Includes: RP 340 Press Tool, 120V Charger, (2) 18V Advanced Lithium 2 Batteries, and Carrying Case.
- Optional AC Power Adapter.
- Compatible with all RIDGID® Standard Series Press Jaws and Attachments.
- For Pressing Copper, Stainless Steel, Black Steel and PEX, and Cutting Soil Pipe.
- Service Interval: 42,000 Cycles.



Standard Jaws for Viega ProPress®
Copper and Stainless ½" - 2"



Rings for ProPress XL-C™
Copper and Stainless 2½" - 4"



Jaws and Rings for Viega MegaPress®
Black Steel Pipe ½" - 2"



RIDGID Press Booster for Viega MegaPress XL®
Black Steel Pipe 2½" - 4"



Standard Jaws for Viega PureFlow™
PEX ½" - 2"



Pressing Rings for ProPress
Copper and Stainless ½" - 2"



Press Snap™ Soil Pipe Cutter
Cast Iron Soil Pipe 1 ½" - 4"

STANDARD SERIES PRESS TOOL

½" to 4" Capacity



RP 340 Battery Tool with ProPress Jaws



RP 340 Corded Tool with ProPress Jaws

RP 340 Battery Tool with Jaw Sets for Viega ProPress® (Copper and Stainless)

CATALOG NO.	MODEL NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
43358	RP 340	RP 340 Battery Press Tool Kit w/ ProPress Jaws (½" - 2")	51	1
43353	RP 340	RP 340 Battery Press Tool Kit w/ ProPress Jaws (½" - 1")	31	1
43348	RP 340	RP 340 Battery Press Tool Kit without Jaw Sets	19	1
44483	RP 340	RP 340 Press Tool Only	6	1

RP 340 battery kits include the RP 340, 2 18V Advanced Lithium 2 batteries, battery charger and carrying case.

RP 340 Corded Tool with Jaw Sets for ProPress (Copper and Stainless)

CATALOG NO.	MODEL NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
43373	RP 340	RP 340 Corded Press Tool Kit w/ ProPress Jaws (½" - 2")	48	1
43368	RP 340	RP 340 Corded Press Tool Kit w/ ProPress Jaws (½" - 1")	28	1
43363	RP 340	RP 340 Corded Press Tool Kit without Jaw Sets	16	1
44483	RP 340	RP 340 Press Tool Only	6	1

RP 340 Corded tool kits include the RP 340 Corded Tool, power adapter, and carrying case.

STANDARD SERIES PRESS JAWS

The Standard Series Pressing Jaws were designed in conjunction with Viega, ensuring compatibility. All RIDGID® Standard Series pressing jaws are only compatible with RIDGID Standard Series Pressing Tools (320-E, CT-400, RP 330-B, RP 330-C or RP 340).

Standard Series Jaw Sets for ProPress (Copper and Stainless)

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
76652	½" Jaw for ProPress	4	1
76657	¾" Jaw for ProPress	4.3	1
76662	1" Jaw for ProPress	4.5	1
76667	1¼" Jaw for ProPress	4.8	1
76672	1½" Jaw for ProPress	6.5	1
76677	2" Jaw for ProPress	10	1

Standard Series Jaw Sets for Viega PureFlow™ (PEX)

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
22653	½" Jaw for PureFlow	4	1
22658	⅝" Jaw for PureFlow	4.3	1
22663	¾" Jaw for PureFlow	4.5	1
22668	1" Jaw for PureFlow	4.5	1
22673	1¼" Jaw for PureFlow	4.8	1
22678	1½" Jaw for PureFlow	6.5	1
35343	2" Jaw for PureFlow	10	1

See page 10 for Viega MegaPress® Jaws.



RP 340 Kit

Accessories

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
43378	RP 340 Carrying Case	8	1
43458	18V Advanced Lithium Battery Charger	2	1
44798	18V Advanced Lithium Battery Charger Replacement Cord	0.5	1
44468	120V AC Power Adapter	1	1
44693	18V Advanced Lithium 2 Battery	1	1
44698	18V Advanced Lithium 4 Battery	1.5	1


COMPACT BATTERY-OPERATED INLINE PRESS TOOL

½" to 1¼" Capacity for Copper and Stainless Steel Tubing

⅜" to 1½" Capacity for PEX Tubing

½" to ¾" Capacity for Steel Pipe

NEW



THE RP 241
25% SMALLER*
10% LIGHTER*



Compact Jaws for Viega MegaPress®
 Black Steel Pipe ½" - ¾"



Compact Jaws for ProPress
 Copper and Stainless ½" - 1¼"



Pressing Rings for Viega ProPress®
 Copper and Stainless ½" - 1¼"



Compact Jaws for Viega PureFlow™
 PEX ⅜" - 1½"

RP 241 INLINE PRESS TOOL

The RP 241 is 25 percent smaller and 10 percent lighter than its predecessor, making it an ideal solution for pressing copper, stainless steel, black steel and PEX in hard to reach areas. Its lightweight, compact design also helps minimize fatigue and maximize productivity.

The RP 241 comes standard with a 12V battery that provides over 140 crimps per charge - three times the competition. It weighs 7.4 pounds, with battery and jaws, and at 15.8 inches is 12 percent shorter in length than the prior model. The tool easily connects to RIDGID Link, providing users data on crimps, service history and more. It is compatible with all prior RIDGID® compact series jaws and attachments.

SPECIFICATIONS

- Capacity: ½" to 1¼" (Copper and Stainless Steel Tubing), ⅜" to 1½" (PEX Tubing), ½" to ¾" (Steel Pipe).
- Inline Design for Access into Tight Spaces.
- Bluetooth Connectivity through RIDGID Link App.
- Battery: 12V Advanced Lithium 2.5.
- Hydraulic Ram Output: 5,400 lbs. (24kN).
- Weight: Tool Only – 4.8 lbs.
 Tool with Battery – 5.3 lbs.
 Tool with Battery and ½ Jaws – 7.4 lbs.
- Length: 15.8".
- Height: 4.25".
- Operating Temperature Range: 15°F to 140°F (-10°C to 60°C).
- Approximate Cycle Time: ~5 Seconds.
- Lighting: Large LED Light.
- Charge: 140+ Crimps Per Charge.
- 180° Barrel/Jaw Swivel.
- Service Interval: 32,000 Cycles.

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
57363	RP 241 Kit with ½" - 1¼" ProPress Jaws	24	1
57373	RP 241 Kit with ½" - 1" ProPress Jaws	22	1
57378	RP 241 Kit with ½", ¾" and 1" PureFlow Jaws	22	1
57383	RP 241 Kit without Jaws	14	1
57388	RP 241 Press Tool Only	6	1

All RP 241 Kits include the RP 241, 2 12V Lithium-Ion batteries, battery charger, and carrying case. (Excluding Press Tool Only Kit).

Accessories

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
55183	12V Li-Ion Battery	0.3	1
55193	12V Battery Charger	1	1
57393	Carrying Case RP 241	1	1

COMPACT BATTERY-OPERATED PRESS TOOL

½" to 1¼" Capacity for Copper and Stainless Steel Tubing

¾" to 1½" Capacity for PEX Tubing

½" to ¾" Capacity for Steel Pipe

NEW




RP 240 PRESS TOOL

The RP 240 is 15 percent smaller and 10 percent lighter than its predecessor, making it an ideal solution for pressing copper, stainless steel, black steel and PEX in hard to reach areas. Its lightweight, compact design also helps minimize fatigue and maximize productivity.

The RP 240 comes standard with a 12V battery that provides over 140 crimps per charge - three times the competition. It weighs 7.4 pounds, with battery and jaws, and at 13.0 inches is 15 percent smaller in length than the prior model. The tool easily connects to RIDGID Link, providing users data on crimps, service history and more. It is compatible with all prior RIDGID® compact series jaws and attachments.

SPECIFICATIONS

- Capacity: ½" to 1¼" (Copper and Stainless Steel Tubing), ¾" to 1½" (PEX Tubing), ½" to ¾" (Steel Pipe).
- Pistol Grip Design for More Control.
- Bluetooth Connectivity through RIDGID Link App.
- Battery: 12V Advanced Lithium 2.5.
- Hydraulic Ram Output: 5,400 lbs (24kN).
- Weight: Tool Only – 4.8 lbs.
Tool with Battery – 5.3 lbs.
Tool with Battery and ½ Jaws – 7.4 lbs.
- Length: 13".
- Height: 9.5".
- Operating Temperature Range: 15°F to 140°F (-10°C to 60°C).
- Approximate Cycle Time: ~5 Seconds.
- Lighting: Large LED light.
- Charge: 140+ Crimps Per Charge.
- 180° Barrel/Jaw Swivel.
- Service Interval: 32,000 Cycles.



THE RP 240

15% SMALLER*
10% LIGHTER*



Compact Jaws for Viega MegaPress®
Black Steel Pipe ½" - ¾"



Compact Jaws for ProPress
Copper and Stainless ½" - 1¼"



Pressing Rings for Viega ProPress®
Copper and Stainless ½" - 1¼"



Compact Jaws for Viega PureFlow™
PEX ¾" - 1½"

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
57398	RP 240 Kit with ½" - 1¼" ProPress Jaws	24	1
57403	RP 240 Kit with ½" - 1" ProPress Jaws	22	1
57408	RP 240 Kit with ½", ¾" and 1" PureFlow Jaws	22	1
57413	RP 240 Kit without Jaws	14	1
57418	RP 240 Press Tool Only	6	1

All RP 240 Kits include the RP 240, 2 12V Lithium-Ion batteries, battery charger, and carrying case. (Excluding Press Tool Only Kit).

Accessories

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
55183	12V Li-Ion Battery	0.3	1
55193	12V Battery Charger	1	1
57423	Carrying Case RP 240	1	1

COMPACT SERIES PRESS JAWS

RIDGID® Compact Series press jaws are 40% lighter and 33% smaller than Standard Series jaws, enabling them to fit into tight spaces. RIDGID Compact Series press jaws are only compatible with RIDGID Compact Series press tools (100-B, RP 200-B, RP 210-B, RP 240, RP 241).

Copper and Stainless



Compact Jaws for ProPress

Compact Series Jaw Sets for Viega ProPress® (Copper and Stainless)

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
16958	½" Jaw for ProPress	2.5	1
16963	¾" Jaw for ProPress	2.5	1
16978	1" Jaw for ProPress	2.5	1
31228	1¼" Jaw for ProPress	2.5	1

Black Steel



Compact Jaws for MegaPress

Compact Series Jaw Sets for Viega MegaPress® (Black Steel)

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
48433	½" Jaw for MegaPress	3.0	1
48438	¾" Jaw for MegaPress	3.2	1

PEX



Compact Jaws for PureFlow

Compact Series Jaw Sets for Viega PureFlow™ (PEX)

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
17003	⅜" Jaw for PureFlow	2.5	1
17008	½" Jaw for PureFlow	2.5	1
19813	⅝" Jaw for PureFlow	2.5	1
17013	¾" Jaw for PureFlow	2.5	1
17018	1" Jaw for PureFlow	2.5	1
22683	1¼" Jaw for PureFlow	2.5	1
22688	1½" Jaw for PureFlow	2.5	1

PEX



Compact Jaws for ASTM F1807

Compact Series Jaw Sets for ASTM F1807 (PEX)

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
22958	½" Jaw for ASTM F1807	2.5	1
22968	¾" Jaw for ASTM F1807	2.5	1
22973	1" Jaw for ASTM F1807	2.5	1
22978	1¼" Jaw for ASTM F1807	2.5	1

PRESS RINGS



PRESS RINGS FOR VIEGA PROPRESS® COPPER AND STAINLESS FITTINGS

Press Rings for ProPress fittings permit access in tighter spaces and serve as an excellent complement to your RIDGID® jaw sets. The swivel actuator allows a press tool to be placed almost 90 degrees in either direction to the tube being pressed!

SPECIFICATIONS

- ProPress Rings are Available in ½" to 2" Capacity.
- V1 and V2 Kits are Designed for RIDGID Standard Press Tools.
- C1 Compact Kits are Designed for RIDGID Compact Press Tools.
- Standard Kit Includes: Press Rings, Actuator and Carrying Case.

COMPATIBLE WITH

- ProPress System (Copper and Stainless steel ½" to 2").



PRESS RINGS FOR VIEGA PROPRESS XL-C® COPPER FITTINGS AND XL-S STAINLESS FITTINGS

The patented XL-C/S Press Rings and V2 Actuator give contractors the ability to press copper and steel connections up to 4". The ball-tip V2 Actuator swivels nearly 180° with the XL-C/S Press Rings, allowing increased accessibility when making connections on ProPress XL-C and XL-S fittings. These rings work with all RIDGID Standard Series Pressing Tools to make connections on 2½" to 4" copper or stainless steel tubes (320-E, CT-400, RP 330-B, RP 330-C or RP 340).

Kits

CATALOG NO.	MODEL NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
27423	V1	V1 Kit, ½", ¾", 1", 1¼" Ring	10.8	1
27428	V2	V2 Kit, 1½", 2" Ring	13.6	1
28043	C1	C1 Kit, ½", ¾", 1", 1¼" Ring	8.1	1
28048	V1/C1	V1/C1 Combo Kit, ½", ¾", 1", 1¼" Ring	12.9	1

Rings


CATALOG NO.	MODEL NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
27998	V1/C1	½" Press Ring	.5	1
28003	V1/C1	¾" Press Ring	.8	1
28008	V1/C1	1" Press Ring	1	1
28013	V1/C1	1¼" Press Ring	1	1
28018	V2	1½" Press Ring	1.5	1
28023	V2	2" Press Ring	2	1

Actuators

CATALOG NO.	MODEL NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
28033	V1	V1 Actuator for ½" - 1¼"	4.9	1
21878	V2	V2 Actuator for 1½" - 2"	4.8	1
26163	C1	C1 Actuator for ½" - 1¼"	2.1	1

Accessories

CATALOG NO.	MODEL NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
28028	V1/C1	Carrying Case #1 for ½" - 1¼"	3	1
28038	V2	Carrying Case #2 for 1½" - 2"	3	1



RIDGID offers the only rings that provide almost 180° swivel around ring.

CATALOG NO.	MODEL NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
20483	XL-C/S	2½" - 4" Rings, Actuator and Case	40.3	1
20543	XL-C/S	2½" Press Ring	6	1
20548	XL-C/S	3" Press Ring	9.8	1
20553	XL-C/S	4" Press Ring	11.8	1
21878	V2	Ring Actuator	7.3	1
21103	—	XL-C Carrying Case Only	7.8	1



FAST FORWARD.

PRESS BOOSTER FOR VIEGA MEGAPRESS XL®

Constant innovation is how we hold our #1 ranking in press tools. Introducing the only tool on the market that lets you press black steel pipe up to 4". The RIDGID® Press Booster attaches to the RP 340 to multiply the tool's output for increased power and faster connections. The wait is over.

PRESS BOOSTER FOR VIEGA MEGAPRESS XL®

NEW

The all new RIDGID® Press Booster attaches to Standard Press Tools to multiply tool output for increased power, allowing you to press black steel pipe up to 4" with Viega MegaPress Jaws. You can now eliminate joining methods that can take over 30 minutes, and make connections in seconds. Additionally, without a flame, the RIDGID Press Booster with MegaPress XL does not require a hot work permit or fire watch.

STANDARD RINGS FOR MEGAPRESS XL - 2½" to 4"

For use with RIDGID Standard Press Tools with Press Booster (RP 340, RP 330).

CATALOG NO.	DESCRIPTION	WEIGHT		INCLUDED IN 60638
		(LB.)	(KG)	
60643	2½" Ring for MegaPress XL	5.9	2,7	✓
60648	3" Ring for MegaPress XL	7.1	3,2	✓
60653	4" Ring for MegaPress XL	9.9	4,5	✓
60658	Press Booster For MegaPress XL	21.6	9,8	✓

Kits

CATALOG NO.	DESCRIPTION	WEIGHT	
		(LB.)	(KG)
60638	2½" to 4" MegaPress XL Kit with Press Booster	52.5	23,8



ACCESSORIES

CATALOG NO.	DESCRIPTION	WEIGHT	
		(LB.)	(KG)
37993	½" to 1" MegaPress End Prep Tool	1.8	0,8
37988	1¼" to 2" MegaPress End Prep Tool	2.5	1,1
38008	Abrasive Strips (Box of 10) ½" - 1"	0.03	0,01
38003	Abrasive Strips (Box of 10) 1¼" - 2"	0.04	0,02



Case

CATALOG NO.	DESCRIPTION	WEIGHT		INCLUDED IN	
		(LB.)	(KG)	48553	48558
48563	Press Booster for MegaPress XL Carrying Case	6.4	2,9	✓	✓



PRESS JAWS AND RINGS FOR VIEGA MEGAPRESS®

RIDGID® compact tools are compatible with Viega MegaPress Jaws and Rings which improve speed and efficiency by making connections without the use of heavy equipment, metal shavings or cutting oils. In addition, its flameless system eliminates the need for hot work permits. The full MegaPress system allows you to join ½" – 2" commercially-available Schedule 5-40 Black Iron Pipe.

COMPACT JAWS FOR MEGAPRESS - ½" to ¾"

For use with RIDGID Compact Press Tools (RP 241, RP 240, RP 210-B, RP 200-B, RP 100-B).

CATALOG NO.	DESCRIPTION	WEIGHT		INCLUDED IN	
		(LB.)	(KG)	48553	48558
48433	½" Jaw for MegaPress	3.0	1,4	—	—
48438	¾" Jaw for MegaPress	3.2	1,5	—	—



STANDARD JAWS AND RINGS FOR MEGAPRESS - ½" to 2"

For use with RIDGID Standard Press Tools (RP 340, RP 330, 320-E, CT 400).

Jaws

CATALOG NO.	DESCRIPTION	WEIGHT		INCLUDED IN	
		(LB.)	(KG)	48553	48558
37958	½" Jaw for MegaPress	4.9	2,2	✓	✓
37963	¾" Jaw for MegaPress	5.2	2,4	✓	✓
37968	1" Jaw for MegaPress	6.8	3,1	✓	✓



Rings and Actuators

CATALOG NO.	DESCRIPTION	WEIGHT		INCLUDED IN	
		(LB.)	(KG)	48553	48558
37973	1¼" Ring for MegaPress	6.0	2,7	✓	—
37978	1½" Ring for MegaPress	6.5	2,9	✓	—
37983	2" Ring for MegaPress	6.0	2,7	✓	—
21878	V2 Ring Actuator for MegaPress	6.7	3,1	✓	—

Kits

CATALOG NO.	DESCRIPTION	WEIGHT	
		(LB.)	(KG)
48553	½" to 2" MegaPress Kit	48.5	22,0
48558	½" to 1" MegaPress Kit	23.1	10,5



PEX-One™ 12V BATTERY PEX TOOL

½" to 1" Capacity



12V ADVANCED LITHIUM 2.5 BATTERY
150+
CRIMPS PER
CHARGE

INTERCHANGEABLE DIES
**½",
¾" & 1"**
FITTINGS

ERGONOMIC, LIGHTWEIGHT DESIGN
5.8 LBS.
(WITH
BATTERY)

PEX-One™

For the professional plumber who installs or repairs PEX plumbing systems, the RIDGID® PEX-One 12V Battery PEX Tool is designed to be lightweight, low-profile and to press multiple-size connections, up to one inch, with a single tool. The first in its class, RIDGID PEX-One gives you the one-handed capability you need for easy and accurate press connections in all those tight spaces.

FEATURES AND BENEFITS

- Connect the tool to the fitting and complete the press cycle all with one hand, leaving your second hand free to support and guide the connections.
- Compact and lightweight inline design fits into tight spaces that some manual crimp tools can't reach.
- Press PEX connections from ½"-1" with a single tool.
- Compatible with ½"-1" ASTM F1807 and Viega PureFlow™ fittings.
- ~5-second crimp cycle.

PEX-One Tools

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
54253	PEX-One Kit for ASTM F1807	10	1
56558	PEX-One Kit for PureFlow	10	1
56638	PEX-One Tool Only	5	1

Dies

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
56483	½" - 1" PureFlow Dies Set	1	1
56563	½" - 1" ASTM F1807 Dies Set	1	1
56573	½" ASTM F1807 Die	0.4	2
56578	¾" ASTM F1807 Die	0.3	2
56583	1" ASTM F1807 Die	0.3	2
56588	½" PureFlow Die	0.4	2
56593	¾" PureFlow Die	0.3	2
56598	1" PureFlow Die	0.3	2

Accessories

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
55183	12V Li-Ion Battery	0.3	1
55193	12V Battery Charger	1	1
56608	RIDGID Bag, 20", Soft-Sided	3.4	1
56603	Die Caddy	0.2	1

MANUAL PEX CRIMP TOOLS

½" to 1" Capacity



½" and ¾" Close Quarters PEX Crimp Tool



ASTM F1807 PEX Crimp Tool

ASTM F1807 PEX CRIMP TOOLS

The RIDGID® ASTM F1807 PEX Crimp Tools are ideal for making PEX tubing connections in potable water and radiant heating applications with ASTM F1807 copper crimp rings. The handles are constructed of a durable, glass-filled polycarbonate making the tools over 20% lighter than traditional-style crimp tools, yet rugged enough for the toughest jobs. The E³® (Expert Engineered Ergonomics) handles provide increased comfort and durability.

SPECIFICATIONS

- Available sizes: ½", ¾", 1" and ½" and ¾" combo tool.
- Easily adjustable lock screw for tool calibration.
- All tools come standard with a go/no-go gauge.

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
23448	½" PEX Crimp Tool	2.9	1
23458	¾" PEX Crimp Tool	2.9	1
23463	1" PEX Crimp Tool	3	1
23468	½" and ¾" PEX Combo Tool	3.5	1
43853	½" PEX Close Quarters Crimp Tool	2.1	1
43858	¾" PEX Close Quarters Crimp Tool	2.3	1

Accessories

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
23473	¾"- ¾" ASTM F1807 gauge	1	1
23478	1" ASTM F1807 gauge	1	1
29583	¾" - 1" Go/No Go gauge	1	1

PRESS SNAP™ SOIL PIPE CUTTER



SOIL PIPE CUTTER ATTACHMENT

The Press Snap Soil Pipe Cutter expands the capabilities of RIDGID standard press tools by providing a fast and easy way to cut cast iron soil pipe. Without lengthy lever arms used by traditional soil pipe cutters, improved access is a snap.

Simply connect the Press Snap cutter to a RIDGID press tool and wrap the chain around the pipe to cut most 1½" to 4" soil pipe in seconds. No manual ratcheting or additional tools are required. Cutting soil pipe has never been so easy!

SPECIFICATIONS

- Compatible with all RIDGID standard press tools.
- Cuts 1½" to 4" no hub and service weight soil pipe.
- Standard Kit: Press Snap cutter, case and operator's manual.

FEATURES

- Eliminates the need to score the pipe.
- Completes the cut in seconds.

CATALOG NO.	DESCRIPTION	WEIGHT LB.	STD. PACK
34403	Press Snap Soil Pipe Cutter Kit	12	1
34678	Press Snap Soil Pipe Cutter Case	3.4	1

THE FASTEST, MOST RELIABLE PRESS TOOLS

		Compact		Standard
				
FEATURES	BENEFITS	RIDGID RP 241	RIDGID RP 240	RIDGID RP 340
Weight (tool and battery)	Lightweight, providing maximum comfort.	5.2 lbs.	5.2 lbs.	8.3 lbs.
Battery	For convenience and maximum portability.	12V Advanced Lithium 2.5 Battery	12V Advanced Lithium 2.5 Battery	18V Advanced Lithium 2 Battery
Rotating Barrel	Tool barrel rotates, allowing access into the tightest spaces.	180°	180°	180°
Viega ProPress® Compatible	Press Viega ProPress Copper and Stainless Fittings ½" to 4"	½" - 1¼"	½" - 1¼"	½" - 4"
Viega PureFlow™ Compatible	Press Viega PureFlow Fittings ½" to 2"	¾" - 1½"	¾" - 1½"	½" - 2"
ASTM F1807 Compatible	Press ASTM F1807 Copper Ring PEX Systems ½" to 1¼"	½" - 1¼"	½" - 1¼"	N/A
Viega MegaPress® Compatible	Press Viega MegaPress Steel Fittings ½" to 4"	½" - ¾"	½" - ¾"	½" - 4"
Lock-On Cycle Completion	Cycle completes automatically once pressing action begins, ensuring a reliable connection every time.	✓	✓	✓
Auto Ram Retraction	Ram returns to start position automatically, providing maximum speed with every connection.	✓	✓	✓
Jaw Pin Closure Sensor	Prevents cycle from starting if pin is not fully engaged, preventing tool damage.	✓	✓	✓
Automatic Maintenance Reminder and Low Battery Sensor	Automatic calibration reminder to ensure optimal performance. Alerts user to insufficient battery power, providing maximum reliability with every connection.	✓	✓	✓
Warranty	RIDGID Full Lifetime Warranty.			



©2018, RIDGID, Inc. The Emerson logo and RIDGID logo are registered trademarks of Emerson Electric Co. or RIDGID, Inc. in the U.S. and other countries. All other trademarks belong to their respective holders. *Compared to previous RIDGID models. 999-997-618.10.3/2018

